



U.S. Department
of Homeland Security

United States
Coast Guard

LOCAL NOTICE TO MARINERS WEEKLY EDITION

District: 13

Week: 26/04

Boating Safety Classes or Information: 1-800-336-BOAT (2628)

ISSUED BY: COMMANDER, THIRTEENTH COAST GUARD DISTRICT (oan)
915 Second Avenue, Seattle, Washington 98174-1067
Telephone (206) 220-7280 FAX # (206) 220-7265
Email: D13LNM@pacnorwest.uscg.mil
<http://www.navcen.uscg.gov/lnm/d13/>

LIGHT LIST REFERENCE: COMDTPUB P16502.6, Light List Volume VI, 2004 Edition

UNITED STATES COAST GUARD NAVIGATION INFORMATION SERVICE (NIS)

The United States Coast Guard Navigation Information Service (NIS), operated by the USCG Navigation Center, is staffed 24 hours a day, 7 days a week. The NIS provides information on the current operational status, effective policies, and general information for GPS, DGPS, and LORAN-C. The NIS also disseminates Safety Broadcasts (BNM), Local Notice to Mariners (LNM), and the latest Notice Advisory to Navstar Users (NANU). NANU notices can also be obtained via e-mail subscription through the USCG Navigation Center website

<http://www.navcen.uscg.gov/gps/status/default.htm>.

In addition, the NIS investigates all reports of degradation or loss of GPS, DGPS or LORAN service. Mariners are encouraged to report all degradation of radio navigation services to the NIS via any of the following: Phone: 703-313-5900, Email: webmaster@navcen.uscg.mil or on the World Wide Web at: <http://www.navcen.uscg.gov>.

BROADCAST NOTICE TO MARINERS

This section contains a range of all the significant Broadcast Notice to Mariners (BNM's) on the date of this edition.

<u>Originating Unit</u>	<u>Beginning BNM</u>	<u>Ending BNM</u>
CGD THIRTEEN	D13-0673-04	D13-0710-04

ABBREVIATIONS

ACOE - Army Corps of Engineers
ADRIFT - Buoy Adrift
AICW - Atlantic Intracoastal Waterway
B - Buoy
BKW - Breakwater
B - Refer to Light List
BNM - Broadcast Notice to Mariner
CG - Refer to Light List
CHAN - Channel
CGD - Coast Guard District
CR - Refer to Light List
C/O - Cut Off
CONT - Contour
CONSTR - Construction
CRK - Creek
CONST - Construction
DBN - Daybeacon
DBD/DAYBD - Dayboard
DBN/DEST - Daybeacon Destroyed
DBN IMCH - Daybeacon Improper Characteristic
DISCON - Discontinued
DMGD - Daybeacon Damaged

EST - Established Aid
EVAL - Evaluation
EXT - Extinguished
FL - Flashing
F/S - Fog Signal
HAZ - Hazard to Navigation
HBR - Harbor
HOR - Horizontal Clearance
HT - Height
ICW - Intracoastal Waterway
IMPCHA - Improper Characteristics
INL - Inlet
INOP - Not Operating
ISL - Islet
KBG - Refer to Light List
KBG-I - Refer to Light List
KBR - Refer to Light List
KBR-I - Refer to Light List
KBW - Refer to Light List
KGB - Refer to Light List
KGB-I - Refer to Light List
KGR - Refer to Light List
KGR-I - Refer to Light List

KGW - Refer to Light List
KGW-I - Refer to Light List
KRB - Refer to Light List
KRB-I - Refer to Light List
KRG - Refer to Light List
KRG-I - Refer to Light List
KRW - Refer to Light List
KWB - Refer to Light List
KWB-I - Refer to Light List
KWG - Refer to Light List
KWG-I - Refer to Light List
KWR - Refer to Light List
KWR-I - Refer to Light List
LAT - Latitude
LB - Lighted Buoy
LBB - Lighted Bell Buoy
LHB - Lighted Horn Buoy
LGB - Lighted Gong Buoy
LONG - Longitude
LNM - Local Notice to Mariners
LT - Light
LT CONT - Light Continuous
LWB - Lighted Whistle Buoy

MISS - Missing
 MR - Refer to Light List
 MR-I - Refer to Light List
 N/A - Not Available
 NB - Refer to Light List
 N/C - Not Charted
 ND - Refer to Light List
 NG - Refer to Light List
 NIMA - National Imagery and Mapping Agency
 NL - Refer to Light List
 NO - Number
 NOS - National Ocean Service
 NR - Refer to Light List
 NW - Refer to Light List
 NW - Notice Writer
 NY - Refer to Light List

OBSCU - Obscured
 OBST - Obstruction
 OBSTR - Obstruction
 PRIV - Private Aid
 RBN - Radio Beacon
 REBUILT - Aid Rebuilt
 RECOVERED - Aid Recovered
 RED - Red Buoy
 REDINT - Reduced Intensity
 RRL - Range Rear Light
 RELIGHTED - Aid Relighted
 RELOC - Relocated
 RESET ON STATION - Aid Reset on Station
 RFL - Range Front Light
 RIV - River
 SEC - Section

SG - Green Square on pile
 SG-SY - Green Square with Yellow Square on pile
 SHL - Shoaling
 SND - Sound
 STM - Statue Mile
 TEMP - Temporary Aid Change
 TR - Red Triangle on pile
 TRLB - Temporarily Replaced by Lighted Buoy
 TRLT - Temporarily Replaced by Light
 T-RTY - Red Triangle with Yellow Triangle on pile
 TRUB - Temporarily Replaced by Unlighted Buoy

Additional Abbreviations Specific to this LNM Edition:

LED - Light Emitting Diode

LWP - Light Watching Properly

CPA - Point of Closest Approach

SECTION I - SPECIAL NOTICES

This section contains information of special concern to the Mariner.

WASHINGTON - PORT ANGLES - Construction

Kiewit General Construction is performing work at the east side of Nipon Paper Mill at the Port Angles Graving Docks involving a floating crane and barge from 12 Jul to 03 Sep 04. The floating crane and barge will be moored with anchor lines and buoys with white lights attached. The floating crane will be monitoring VHF-FM Channels 14 and 16. Mariners are requested to use caution in the vicinity of the construction. For additional information, contact Kiewit-General Construction at (360) 565-2718.

Chart 18468

LNM: 26/04

WASHINGTON - PUGET SOUND - Geoduck Harvesting

Geoduck harvesting will be conducted in the area of Freshwater Bay (west of Port Angles) Squamish Harbor and south of Hood Head (both on the west side of the Hood Canal Bridge) and at Lofall (on the south east side of the Hood Canal Bridge) from 22 Jun to 08 Oct 04. These operations will take place from 0800 until 1600 local, Monday through Friday, excluding state holidays. The Department of Natural Resources patrol boat will be onsite and monitoring VHF-FM Channel 8. Vessels transiting the area are requested to stay 300ft clear of divers. For additional information, contact Washington Department of Natural Resources at (360) 902-1100.

Chart 18465,18445

LNM: 26/04

COLUMBIA RIVER - WILLAMETTE RIVER - Construction

Ecology and Environment, Inc will be constructing a 25 acre sediment cap at river mile 7 of the Willamette River outside the navigational channel from 01 Jul to 31 Oct 04. Multiple barges will be in the area throughout the construction period. Mariners are requested to use caution in the vicinity of the construction. For additional information, contact Oregon Department of Environmental Quality at (503) 229-6748.

Chart 18526

LNM: 26/04

COLUMBIA RIVER - OFF SHORE - Research Buoys

The Scripps Institution of Oceanography has deployed the following research buoys. Each buoy is yellow with a flashing yellow 4 second light (FL Y 4s).

Buoy RN	46-26-14.7N, 124-18-04.8W
Buoy RC	46-10-01.4N, 124-11-43.4W
Buoy RN	46-03-10.7N, 124-06-01.6W

Charts 18500, 18520

LNM: 26/04

WASHINGTON - LAKE WASHINGTON - Lock Closure

The Hiram M. Chittenden Small Lock will be closed to all traffic, with the large lock remaining open to all vessels from 0700 07 Jul to 1600 local 16 Jul 04 for work on pintles on the small lock gates. For additional information, contact the Administrative Officer, Lake Washington Ship Canal at (206) 789-2622 ext 203.

Chart 18447

LNM: 25/04

WASHINGTON - HOOD CANAL - Surface / Subsurface Operations

Naval Undersea Warfare Center Division, Keyport is operating an Undersea Unmanned Vehicle (UUV) in the vicinity of Oak Head at approximate position 47-40-01N 122-49-01W during day light hours until 15 Sep 04. The U.S. Navy Barge YC-1631, a small navy boat and a Dabob Range Guard Boat will be on scene. Mariners are requested to use caution in the vicinity, and may contact Navy Barge YC -1631 on VHF-FM Channel 16 or 18. For additional information, contact Navy Barge YC-1631 at (360) 265-2243.

Chart 18458

LNM: 25/04

WASHINGTON - PUGET SOUND - Acoustic Buoys

Evans-Hamilton, Inc has deployed two acoustic doppler current meters (ADCPs) in approximate positions 47-45-44.1N 122-23-56.4W and 47-46-43.4N 122-24-40.2W. The instruments are in aluminum cages resting on the sea floor with no surface expression and will remain in place until early Sep 04. For additional information, contact Evans-Hamilton, Inc at (206) 526-5622.

Chart 18441

LNM: 25/04

OREGON - PORTLAND - Regional Examination Center

Effective 06 Jul 04 the Regional Examination Center, Portland OR will conduct business by appointment only due to new security procedures and workload. Appointments can be made and confirmed by calling (503) 240-9346. For additional information, contact Regional Examination Center, Portland OR at (503) 240-9346.

Chart N/A

LNM: 24/04

COLUMBIA RIVER - APPROACHES TO ASTORIA - Scientific Buoy

The Oregon Health and Science University has temporarily deployed a Lighted Research Buoy (yellow can) at approximate position 46-10-30.0N 124-07-06.0W showing a Flashing Yellow 4 seconds (FL Y 4s) light. The buoy is expected to remain in place until 31 Oct 04. For additional information, contact Oregon Health and Science University at (503) 748-4059.

Chart 18521

LNM: 23/04

SECTION II - DISCREPANCIES

This section lists all reported and corrected discrepancies related to Aids to Navigation in this edition. A discrepancy is a change in the status of an aid to navigation that differs from what is published or charted.

DISCREPANCIES (FEDERAL AIDS)

LLNR	Aid Name	Status	Chart No	BNM Ref.	LNM St	LNM End
765/ 16150	Duntze Rock Lighted Whistle Buoy 2D	MISS	18480	D13-0650-04	24/04	
8735	Coos Bay Entrance Lighted Bell Buoy 1	REDINT / 3NM TEMP LED	18587	D13-0202-04	07/04	
8755	Coos Bay North Jetty Lighted Gong Buoy 3	Off Station / 42.7 yds bearing 267.5°T	18587	D13-0164-04	06/04	
8775	Coos Bay Channel Lighted Bell Buoy 5	Off Station / 12 yds bearing 120°T	18587	D13-0260-04	10/04	
9600	Yaquina Bay Entrance Lighted Gong Buoy 3	REDINT / F/S INOP	18561	D13-0574-04	21/04	
9815	Tillamook Bay Entrance Bell Buoy 1	MISS	18521	D13-0242-04	09/04	
10015	Desdemona Sands Lighted Gong Buoy 29	Riding low in the water	18521	D13-0523-04	20/04	
10190	Harrington Point Channel Lighted Buoy 54	Off Station / 315 yds bearing 225°T	18521	D13-0690-04	26/04	
10485	Westport Dike Light 60	REDINT / 3NM TEMP LED	18523	D13-0680-04	26/04	
13155	Snake River Buoy 7	Off Station / 30 yds bearing 061°T	18545	D13-0548-04	20/04	
16075	Quillayute River Approach Lighted Whistle Buoy Q	REDINT / 3NM TEMP LED	18480	D13-0883-03	30/03	
16085	Quillayute River Entrance Buoy 2	MISS	18480	D13-0306-04	12/04	
17615	Kilisut Harbor Daybeacon 8	Structure MISS / TRUB	18441	D13-0710-03	25/03	
19935	International Boundary Range C Front Light	IMPCHA / DBD Faded and Peeling	18421	D13-1191-02	38/02	

DISCREPANCIES (FEDERAL AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No	BNM Ref.	LNM St	LNM End
15186	Willapa Bay Entrance Buoy C	LWP	18504	D13-0678-04	23/04	26/04
16540	Puget Sound Traffic Lane Separation Lighted Buoy SE	LWP	18441	D13-0677-04	25/04	26/04

DISCREPANCIES (PRIVATE AIDS)

LLNR	Aid Name	Status	Chart No	BNM Ref.	LNM St	LNM End
9185	North Slough Channel Daybeacon 4	IMPCHA	18587	D13-0478-04	18/04	

9190	North Slough Channel Daybeacon 8	IMPCHA	18587	D13-1144-02	36/02
9195	Haynes Inlet Channel Daybeacon 1	IMPCHA	18587	D13-0479-04	18/04
9205	Haynes Inlet Channel Daybeacon 5	IMPCHA	18587	D13-0480-04	18/04
9210	Haynes Inlet Channel Daybeacon 7	IMPCHA	18587	D13-0481-04	18/04
16847	Elliott Bay Fish Haven Buoy A	MISS	18449	D13-0467-04	18/04
16848	Elliott Bay Fish Haven Buoy B	MISS	18449	D13-0466-04	18/04
16885	Georgetown Reach Range Rear Light	IMPCHA	18449	D13-0487-04	18/04
16720	Edmonds Fishing Reef Buoys (2)	1 of 2 buoys MISS	18441	D13-0687-04	26/04
17060	Des Moines Marina Light B	EXT	18448	D13-0688-04	26/04
17082	Redondo Floating Breakwater Lights (3)	IMPCHA	18448	D13-0689-04	26/04
17129	St Paul Waterway Buoy 2	MISS	18448	D13-0477-04	18/04
17145	Blair Waterway Lighted Buoy	TEMP DISCON	18448	D13-0484-04	18/04
17345	Tolmie Beach State Park Buoy	MISS	18448	D13-0513-04	20/04
17397	Boston Harbor Regulatory Buoys (7)	2 of 7 buoys MISS	18448	D13-0514-04	20/04
19755	Pearl Island Dock Light	EXT	18421	D13-0448-04	18/04

DISCREPANCIES (PRIVATE AIDS) CORRECTED

LLNR	Aid Name	Status	Chart No	BNM Ref.	LNM St	LNM End
None						

SECTION III – TEMPORARY CHANGES and TEMPORARY CHANGES CORRECTED

This section contains temporary changes and corrections to Aids to Navigation for this edition. When charted aids are temporarily relocated for dredging, testing, evaluation, or marking an obstruction, a temporary correction shall be listed in Section IV giving the new position.

TEMPORARY CHANGES

LLNR	Aid Name	Status	Chart No	BNM Ref.	LNM St	LNM End
16856	Coast Guard Pier Light North	TEMP DISCON	18449	D13-0729-03	26/03	
16857	Coast Guard Pier Light South	TEMP DISCON	18449	D13-0729-03	26/03	

TEMPORARY CHANGES CORRECTED

LLNR	Aid Name	Status	Chart No	BNM Ref.	LNM St	LNM End
None						

SECTION IV – CHART CORRECTIONS

This section contains corrections to federally and privately maintained Aids to Navigation, as well as NOS corrections.

This section contains corrective actions affecting chart(s). Corrections appear numerically by chart number, and pertain to that chart only. It is up to the mariner to decide which Chart(s) are to be corrected. The following example explains the individual elements of a typical chart correction.

Chart Number ↓	Chart Edition ↓	Edition Date ↓	Last Local Notice to Mariners ↓	Horizontal Datum Reference ↓	Source of Correction ↓	Current Local Notice to Mariner ↓
18427	20 TH ed	3/18/2000	Last LNM 25/99	NAD 83	(NOS Silver Spring)	40/99
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 60%;"> <p><i>Chart Title:</i> WA – ANACORTES TO SKAGIT BAY - (Temp) Add Ben Ure Island Light 2, FI R 4s, 25ft 4M</p> </div> <div style="width: 35%; text-align: right;"> <p>at 48°24'12.1"N 124°37'42.0"W</p> </div> </div>						
	↑ Corrective Action	↑ Object of Correction Action				↑ Position

(Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (NM) unless otherwise noted.

18400	44th ed	Aug 2003	Last LNM 24/04	NAD 83	(NOS NW -7724)	26/04
<i>Chart Title:</i> WA - STRAIT OF GEORGIA AND STRAIT OF JUAN DE FUCA						
	Add	1 fathom sounding			at	48-23-35.7N 124-38-35.9W
18423	34th ed	Dec 2003	Last LNM 24/04	NAD 83	(NOS NW -7725)	26/04
<i>Chart Title:</i> WA - BELLINGHAM TO EVERETT INCLUDING SAN JUAN ISLANDS (PAGE E-INSET 11)						
	Add	Sewer (Cht 1, L41.1) and label: Sewer			from	47-58-15.8N 122-13-49.0W
					to	47-58-08.4N 122-14-04.1W
					to	47-58-16.3N 122-14-25.1W
					to	47-58-15.7N 122-14-34.1W
					to	47-58-10.3N 122-14-46.0W
18441	43rd ed	Jul 2003	Last LNM 20/04	NAD 83	(NOS NW -7625)	26/04
<i>Chart Title:</i> WA - PUGET SOUND - NORTHERN PART						
	Add	Sewer (Cht 1, L41.1) and label: Sewer			from	47-58-15.8N 122-13-49.0W
					to	47-58-08.4N 122-14-04.1W
					to	47-58-16.3N 122-14-25.1W
					to	47-58-15.7N 122-14-34.1W
					to	47-58-10.3N 122-14-46.0W
18443	16th ed	Jan 2004	Last LNM 19/04	NAD 83	(NOS NW -7625)	26/04
<i>Chart Title:</i> WA - APPROACHES TO EVERETT						
	Add	Sewer (Cht 1, L41.1) and label: Sewer			from	47-58-15.8N 122-13-49.0W
					to	47-58-08.4N 122-14-04.1W
					to	47-58-16.3N 122-14-25.1W
					to	47-58-15.7N 122-14-34.1W
					to	47-58-10.3N 122-14-46.0W
18444	15th ed	07 Apr 2001	Last LNM 19/04	NAD 83	(NOS NW -7625)	26/04
<i>Chart Title:</i> WA - EVERETT HARBOR						
	Add	Sewer (Cht 1, L41.1) and label: Sewer			from	47-58-15.8N 122-13-49.0W
					to	47-58-08.4N 122-14-04.1W
					to	47-58-16.3N 122-14-25.1W
					to	47-58-15.7N 122-14-34.1W
					to	47-58-10.3N 122-14-46.0W
18460	11th ed	Dec 2002	Last LNM 22/04	NAD 83	(NOS NW -7724)	26/04
<i>Chart Title:</i> WA - STAIT OF JUAN DE FUCA ENTRANCE						
	Add	1 fathom sounding			at	48-23-35.7N 124-38-35.9W
18480	29th ed	Dec 2002	Last LNM 22/04	NAD 83	(NOS NW -7724)	26/04
<i>Chart Title:</i> WA - APPROACHES TO STRAIT OF JUAN DE FUCA - DESTRUCTION ISLAND TO AMPHITRITE POINT						
	Add	1 fathom sounding			at	48-23-35.7N 124-38-35.9W
18484	11th ed	Mar 2004	Last LNM 22/04	NAD 83	(NOS NW -7724)	26/04
<i>Chart Title:</i> WA - NEAH BAY						
	Add	9ft sounding and danger curve			at	48-23-38.3N 124-38-40.9W
	Add	6ft sounding and danger curve			at	48-23-35.7N 124-38-35.9W

18485	15th ed	Dec 2002	Last LNM 22/04	NAD 83	(NOS NW -7724)	26/04
<i>Chart Title:</i> WA - CAPE FLATTERY						
	Substitute	1 1/2 fathom sounding for a 5 1/2 fathom sounding			at	48-23-38.3N 124-38-40.9W
	Add	1 fathom sounding			at	48-23-35.7N 124-38-35.9W

18588	37th ed	Apr 2003	Last LNM 20/04	NAD 83	(NOS NW -7870)	26/04
<i>Chart Title:</i> OR - COQUILLE RIVER ENTRANCE						
	Add	Tabulation – COQUILLE RIVER, OR			at	43-06-54.0N 124-25-05.0W

OIL RIG MOVEMENT

Drill Rigs/Vessels Removed						
Latitude	Longitude	Block	Rigs/Vessel	Chart	Type	Status
None						

Drill Rigs/Vessels Established						
Latitude	Longitude	Block	Rigs/Vessel	Chart	Type	Status
None						

SECTION V - ADVANCE NOTICES

This section contains advance notice of approved projects, changes to aids to navigation, or upcoming temporary changes such as dredging, etc. Mariners are advised to use caution while transiting these areas.

SUMMARY OF ADVANCED APPROVED PROJECTS

<u>Waterway</u>	<u>Project Date</u>	<u>Ref. LNM</u>
Washington - Grays Harbor	Aug 2004	LNM: 25/04

The **daymark** on Grays Harbor Light (LLNR 720/15530) will be disestablished on or about August 2004. Grays Harbor Lighthouse and associated buildings will be transferred under the National Historic Lighthouse Preservation Act to the Westport Maritime Museum. The light itself will continue to be a federal aid to navigation.

SECTION VI - PROPOSED CHANGES

Periodically, the Coast Guard evaluates its system of aids to navigation to determine whether the conditions for which the aids to navigation were established have changed. When changes occur, the feasibility of improving, relocating, replacing, or discontinuing aids are considered. This section contains notice(s) of non-approved, proposed projects open for comment. SPECIAL NOTE: Mariners are requested to respond in writing to the District office Attn John Barberi (206) 220-7276 unless otherwise noted (see banner page for address).

PROPOSED WATERWAY PROJECTS OPEN FOR PUBLIC COMMENT

<u>Waterway</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
WASHINGTON – STRAIT OF JUAN DE FUCA ENTRANCE	02 Jul 2004		LNM: 21/04

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) Lantern.

Change Strait of Juan De Fuca Traffic Lane Separation Lighted Buoy "JA" (LLNR 756/16136) from a flashing yellow every four-second (FL Y 4s) to a flashing yellow every 2.5 seconds (FL Y 2.5s) LED Lantern and change the buoy hull to yellow disk-shaped with the numbers 46087 painted on the hull.

Chart 18460

<u>Waterway</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
WASHINGTON – STRAIT OF JUAN DE FUCA (EASTERN PART)	02 Jul 2004		LNM: 21/04

Navigation Aids: Establish NOAA lighted weather buoy 46088.

Establish NOAA Environmental Lighted Buoy 46088 (LLNR 16337), a yellow disk-shaped buoy showing a flashing yellow light every 2.5 seconds (FL Y 2.5s) LED Lantern in approximate position 48-20-00N, 123-10-00W, with a nominal range of 4NM.

Chart 18465

<u>Waterway</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
WASHINGTON – PUGET SOUND – STRAIT OF JUAN DE FUCA	16 July 2004		LNM: 23/04

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) Lantern.

Rosario Strait Traffic Lane Entrance Lighted Buoy “R” (LLNR 16340). Discontinue the flashing yellow four-second light (FL Y 4s) and install a 6-mile yellow 2.5-second (FI Y 2.5s) Light Emitting Diode (LED) Lantern.

Rosario Strait Traffic Lane Separation Lighted Buoy “RA” (LLNR 16370). Discontinue the flashing yellow four-second light (FL Y 4s) and install a 6-mile yellow 2.5-second (FI Y 2.5s) Light Emitting Diode (LED) Lantern.

Charts 18400, 18421, 18440, 18465

<u>Waterway</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
WASHINGTON – ADMIRALTY INLET AND PUGET SOUND TO SEATTLE	16 July 2004		LNM: 23/04

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) Lantern.

Puget Sound Traffic Lane Separation Lighted Buoy “SC” (LLNR 16510). Discontinue the flashing yellow four-second light (FL Y 4s) and install a 6-mile yellow 2.5-second (FL Y 2.5s) Light Emitting Diode (LED) Lantern.

Chart 18423, 18440, 18441, 18471, 18473, 18477

<u>Waterway</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
WASHINGTON – PUGET SOUND – NORTHERN PART	16 July 2004		LNM: 23/04

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) Lantern.

Change nominal range from three (3) to four (4) nautical miles on the following aids to navigation:

Mats Mats Bay Channel Light 5 (LLNR 17670)
Mats Mats Bay Channel Light 7 (LLNR 17690)

Chart 18441

<u>Waterway</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
SNAKE RIVER – LITTLE GOOSE RESERVOIR	16 July 2004		LNM: 23/04

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) Lantern.

Change nominal range of Little Goose Reservoir Light 8 (LLNR 13730) from two (2) to four (4) nautical miles.

Change nominal range of Little Goose Reservoir Light 43 (LLNR 13895) from three (3) to four (4) nautical miles.

Chart 18521

<u>Waterway</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
COLUMBIA RIVER – PACIFIC OCEAN TO HARRINGTON POINT	16 July 2004		LNM: 23/04

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) Lantern.

Change nominal range of Desdemona Sands Channel Leading Light (LLNR 9975) from ten (10) to four (4) nautical miles.

Chart 18521

<u>Waterway</u>	<u>Closing</u>	<u>Docket No.</u>	<u>Ref. LNM</u>
OREGON – APPROACHES TO YAQUINA AND DEPOE BAY	16 July 2004		LNM: 23/04

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) Lantern.

Change nominal range of Yaquina Bay Light 14 (LLNR 9675) from two (2) to four (4) nautical miles.

Change nominal range of Yaquina River Light 47 (LLNR 9775) from three (3) to four (4) nautical miles.

Chart 18561

<u>Waterway</u> OREGON – SIUSLAW RIVER	<u>Closing</u> 16 July 2004	<u>Docket No.</u>	<u>Ref. LNM</u> LNM: 23/04
---	--------------------------------	-------------------	-------------------------------

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) Lantern.

Change nominal range from three (3) to four (4) nautical miles on the following aids to navigation:

Siuslaw River Light 5 (LLNR 9465)
Siuslaw River Light 8 (LLNR 9490)
Siuslaw River Channel Light 9 (LLNR 9495)
Siuslaw River Channel Light 23 (LLNR 9550)

Chart 18583

<u>Waterway</u> OREGON – UMPQUA RIVER	<u>Closing</u> 16 July 2004	<u>Docket No.</u>	<u>Ref. LNM</u> LNM: 23/04
--	--------------------------------	-------------------	-------------------------------

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) Lantern.

Change nominal range of Salmon Harbor Entrance Light 1 (LLNR 9290) from three (3) to four (4) nautical miles.

Chart 18584

<u>Waterway</u> OREGON – COOS BAY	<u>Closing</u> 16 July 2004	<u>Docket No.</u>	<u>Ref. LNM</u> LNM: 23/04
--------------------------------------	--------------------------------	-------------------	-------------------------------

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) Lantern.

Change nominal range from three (3) to four (4) nautical miles on the following aids to navigation:

Coos Bay Light 17 (LLNR 8920)
Jarvis Dike 6.8 Light 19 (LLNR 8940)
Coos River Entrance Light 1 (LLNR 9101)

Chart 18587

<u>Waterway</u> OREGON – PYRAMID POINT TO CAPE SEBASTIAN	<u>Closing</u> 16 July 2004	<u>Docket No.</u>	<u>Ref. LNM</u> LNM: 23/04
---	--------------------------------	-------------------	-------------------------------

Navigation Aids: To accommodate the installation of a Light Emitting Diode (LED) Lantern.

Change nominal range of Chetco River Entrance Light 11 (LLNR 8640) from three (3) to four (4) nautical miles.

Chart 18602

<u>Waterway</u> OREGON – APPROACHES TO YAQUINA AND DEPOE BAY – Yaquina River	<u>Closing</u> 30 July 2004	<u>Docket No.</u>	<u>Ref. LNM</u> LNM: 25/04
---	--------------------------------	-------------------	-------------------------------

Navigation Aids: No longer considered necessary for safe navigation in the waterway.

Discontinue Yaquina River Light 19 (LLNR 9685).

Chart 18561

<u>Waterway</u> OREGON – UMPQUA RIVER	<u>Closing</u> 30 July 2004	<u>Docket No.</u>	<u>Ref. LNM</u> LNM: 25/04
--	--------------------------------	-------------------	-------------------------------

Navigation Aids: To better mark the waterway.

Change Umpqua River Channel Daybeacon 22 (LLNR 9340) to Umpqua River Light 22 (LLNR 9340), showing a flashing red light every four seconds (FL R 4s) and triangular shaped red dayboards with a nominal range of three (3) nautical miles.

Chart 18584

<u>Waterway</u> OREGON – SIUSLAW RIVER	<u>Closing</u> 30 July 2004	<u>Docket No.</u>	<u>Ref. LNM</u> LNM: 25/04
---	--------------------------------	-------------------	-------------------------------

Navigation Aids: To better mark the waterway.

Change Siuslaw River Channel Daybeacon 14 (LLNR 9520) to Siuslaw River Channel Light 14 (LLNR 9520), showing a flashing red light every six seconds (FL R 6s) and triangular shaped red dayboards with a nominal range of four (4) nautical miles.

Chart 18583

Waterway
OREGON – COOS BAY

Closing
30 July 2004

Docket No.

Ref. LNM
LNM: 26/04

Navigation Aids: To accommodate solarization of the range.

Change Coos Bay Entrance Range Front and Rear Lights (LLNR 8740/8745) to nighttime operation. Additionally, to improve range performance, change visible 4 degrees each side of range line to visible 1.5 degrees each side of range line.

Chart 18587

Waterway
OREGON – COOS BAY

Closing
30 July 2004

Docket No.

Ref. LNM
LNM: 26/04

Navigation Aids: To improve range performance.

Change Coos Bay Inside Range "A" Front Light (LLNR 8785) from visible all around with higher intensity on rangeline to visible 10 degrees each side of rangeline.

Change Coos Bay Inside Range "A" Rear Light (LLNR 8790) from visible 15 degrees each side of rangeline to visible 14 degrees each side of rangeline.

Chart 18587

SECTION VII - GENERAL

This section contains information of general concern to the Mariners. Mariners are advised to use caution while transiting these areas.

OREGON - Bridge Information

Siuslaw River

The U.S.101 Bridge at Florence need not open for the passage of vessels from 0001 local 07 Sep to 2359 local 29 Oct 04. The temporary closure is authorized for a resurfacing project on the double-leaf bascule.

Chart 18583

LNM: 20/04

OREGON - Bridge Information

Siuslaw River

The U.S.101 Bridge at Florence need not open for the passage of vessels from 0001 local 18 Oct to 2359 local 30 Nov 04. The temporary closure is authorized for a resurfacing project on the double-leaf bascule.

Chart 18583

LNM: 26/04

OREGON - Bridge Information

Coquille River

The Bullard Ferry Bridge at Coquille River mile 3.5 has been disabled and cannot open for vessel traffic until repairs are made.

Chart 18588

LNM: 12/04

OREGON - Bridge Information (Revisions of LNM 04/04)

Willamette River

The Broadway Bridge at mile 11.7 will require 24 hour notification for openings from 27 Feb to 15 Nov 04 due to operations related to painting.

Chart 18526

LNM: 09/04

OREGON - Bridge Information

Willamette River

During the following periods the Broadway Bridge at mile 11.7 need not be opened for vessels from 0600 local on the start date to 0600 local on the end date: 7-10 Jul, 11-14, 15-18, 19-22, 23-26, 27-30, 31 Jul to 04 Aug, 05-08, 09-12, 13-16, 17-20, 21-24, 25-28, 29 Aug to 01 Sep, 02-05 Sep 04. From 07 Jul through 04 Sep 04, 24 hour notice must be provided for openings. These deviations from normal operations accommodate the ongoing paint and repair project on the bridge.

Chart 18526

LNM: 23/04

OREGON - Bridge Information

Willamette River

The Burnside Bridge at mile 12.4 need not open for the passage of vessels from 0630 to 0930 local on 18 Jul and from 0700 to 1100 local on 19 Sep 04, to accommodate public events.

Chart 18526

LNM: 14/04

OREGON - Bridge Information

Willamette River

The Hawthorn Bridge at mile 13.1 need not open for the passage of vessels from 0730 to 0830 local on 11 Jul 04, to accommodate a public event.

Chart 18526

LNM: 14/04

OREGON - Bridge Information

Coos Bay

The Coos Bay Railroad Bridge, at mile 9.0, swing span has a mechanical failure and can only be opened by tug. Mariners should provide as much notice as possible for openings until a broken drive shaft is repaired. The bridge operator monitors VHF-FM Channel 18A when bridge is in operation. The bridge operator can also be reached at (541) 912-8691.

Chart 18587

LNM: 34/03

COLUMBIA RIVER - Bridge Information

Vancouver

The dual liftspans of the Interstate 5 dual vertical lift bridges at river mile 106.5 will be effected throughout the summer of 2004 by a major mechanical-electrical rehabilitation project. From 0900 01 Jul to 0630 local 15 Jul 04 the draws need not open for the passage of vessels unless two hours notice is provided. From 0630 15 Jul to 2100 local on 06 Aug 04 the draws will not open. Scheduled openings will occur, if requested, at 2100 local on 06 and 20 Aug, 03 and 17 Sep and 01 Oct 04. The draws will not return to normal operations until 2100 local on 15 Oct 04.

Charts 18524, 18526

LNM: 12/04

COLUMBIA RIVER - Bridge Information

Hood River

The Hood River White Salmon Bridge at mile 169.8 is stuck in the closed position.

Charts 18532

LNM: 21/04

WASHINGTON - Bridge Information

Duwamish West Waterway

The Spokane Street Dual Swingspan at mile 0.3 – Vessel operators who need draw openings are requested to pass through a west span opening whenever safe passage through this half-opening is possible. The Coast Guard recognizes this limited operation for consenting vessels only. Cracking has been discovered in the vertical lift cylinder of the east span. The manufacture and replacement of this unique part will take months. Minimizing the load bearing of the cylinder may prevent a failure of the east span similar to the one that occurred in 2001 at the west span. Operators will continue to open both sides of the bridge to any vessel that requests a full opening.

Chart 18450

LNM: 11/02

WASHINGTON - Bridge Information

Lake Washington

The Montlake Bridge draw need not open for the passage of vessels from 2000 17 Jul to 0600 local 18 Jul 04 and from 2000 24 Jul to 0600 local 25 Jul 04. These closures are for a King County Metro rebuild project for overhead electrical trolley wires on Montlake Boulevard.

Chart 18447

LNM: 23/04

WASHINGTON - Bridge Information

Lake Washington

To accommodate heavy roadway traffic the following draws have temporary closed periods. The Fremont Bridge need not open for the passage of vessels from 2100 04 Jul to 0015 local 05 Jul 04, while the Ballard and University Bridges need not open from 2200 04 Jul to 0015 local 05 Jul 04. All the bridges will have operators on duty until 0130 local 05 Jul 04 when operations will revert to one hour notice for openings.

Chart 18447

LNM: 23/04

WASHINGTON - Bridge Information

Tacoma Narrows Bridge – (Revision of LNM 31/03)

Construction – Derrick barges will be deployed at various locations around the pier locations for the new parallel bridge near the piers of the existing Tacoma Narrows Bridge. Buoys have been deployed to mark anchor cables for retrieval this summer when caissons are floated into position for the new footing excavation. These buoys are in the process of being lighted and repainted for improved visibility. Lights may be extinguished by submersion in strong currents. A free channel 1600 feet wide currently exists. Mariners should exercise caution while passing construction activity. Further updates will be included in this publication.

Charts 18448, 18474

LNM: 32/03

WASHINGTON - Bridge Information

Tacoma Narrows Bridge – (Revision of LNM 32/03)

The Coast Guard has issued a safety zone regulation until 06 Aug 04, for all waters of the Tacoma Narrows, Puget Sound, and adjoining waters of Washington state, within a 250 yard radius around each of the following coordinates: 47-15-54N 122-32-50W and 47-16-15N 122-33-16W. No vessel will be allowed to transit this area without the permission of the Coast Guard. The Coast Guard may be reached on VHF-FM Channel 16.

Charts 18448, 18474

LNM: 06/04

WASHINGTON - Bridge Information

Everett

State Route 529 Swingspan Bridge across Steamboat Slough at Everett is inoperable due to mechanical failure until further notice.

Chart 18443

LNM: 36/03

Bridge Lighting Discrepancies:

Lights on the following bridges have been reported extinguished.

Waterway and Mile	Bridge Name	Location	Status	Date reported	BNM	LN
Umpqua River Mile 11.1	U.S. Highway 101	Reedsport OR	EXT	17 May 04	0549-04	20/04
Siuslaw River Mile 8.0	CO and PRR Bridge	Acme OR	EXT	04 Jun 04	0626-04	23/04
Swinomish Channel Mile 8.2	Highway 20 Bridge	Ancortes WA	EXT	01 Jun 04	0597-04	22/04
Swinomish Channel Mile 3.2	Rainbow Bridge	Ancortes WA	EXT	20 Jun 04	0667-04	25/04
Hylebos Waterway Mile 1.1	East 11th Street Bridge	Seattle WA	EXT	05 May 04	0489-04	19/04
Agate Pass	Agate Pass Bridge	Bainbridge Island WA	EXT	27 Jun 04	0693-04	26/04
Port Townsend Canal Mile 0.2	Port Townsend Canal Bridge	Port Townsend WA	EXT	04 Jun 04	0623-04	23/04
Port Orchard	Warren Ave Bridge	Bremerton WA	EXT	05 May 04	0491-04	19/04

Bridge Lighting Discrepancies Corrected:

The following bridge discrepancies have been corrected since the last Local Notice to Mariners:

Waterway and Mile	Bridge Name	Location	Status	Date reported	BNM	LN
Coquille River Mile 3.5	Bullards Ferry Bridge	Brandon OR	LWP	12 May 04	0697-04	26/04
Coos Bay Mile 9	Coos Bay Railroad Bridge	Coos Bay OR	LWP	30 Apr 04	0698-04	26/04
Siuslaw River Mile 0.7	U.S Highway 101 Bridge	Florence OR	LWP	04 Jun 04	0699-04	26/04
Alsea Bay Mile 2.0	Alsea Bay Bridge	Waldport OR	LWP	01 Jun 04	0700-04	26/04
Yaquina Bay Mile 0.7	Yaquina Bay Bridge	Newport OR	LWP	04 Jun 04	0701-04	26/04
Siletz Waterway Mile 2.0	US 101 Bridge	Kernville OR	LWP	01 Jun 04	0702-04	26/04
Snake River Mile 140	Interstate SR 12 Bridge	Clarkston WA	LWP	20 Jun 04	N/A	26/04
Clearwater River Mile 0.6	Prarie Railroad Bridge	Clarkston WA	LWP	20 Jun 04	N/A	26/04
Chambers Creek Mile 0.0	Chambers Creek Bridge	Seattle WA	LWP	05 May 04	0703-04	26/04
Duamish Mile 3.8	South Park Bridge	Seattle WA	LWP	03 May 04	0704-04	26/04
Lake Washington Ship Canal	Ballard Railroad Bridge	Seattle WA	LWP	02 Jun 04	0705-04	26/04

THIRTEENTH COAST GUARD DISTRICT - Request for information on the use of large-scale driftnets on the high seas

The United States Coast Guard (USCG) requests mariners be on the lookout for and report any observed driftnets or vessels engaged in driftnet fishing on the high seas (more than 200NM from shore). Sighting information may be made to any of the following Coast Guard offices:

Offices	Phone	Fax	Telex	Email
USCG Pacific Area Alameda, CA	1-800-246-7236 1-510-437-3701	1-510-437-3017	230172343	OD11/Pacarea@d11.uscg.mil
USCG 14th District Honolulu, HI	1-800-331-6176 1-808-541-2500	1-808-541-2123		D14ccdutyofficer@D14.uscg.mil
USCG 17th District Juneau, AK	1-800-478-5555 1-907-463-2000	1-907-463-2023	49615066	D17-cc@cgalaska.uscg.mil

Illegal high seas driftnet (HSDN) fishing has historically been conducted in the Northwest Pacific Ocean. Mariners following great circle routes between North America and Asia are most likely to encounter this activity. Fishing activity normally takes place between 01 Apr and 31 Aug. However, illegal activity may occur in other areas and at other times of the year.

Information desired include date, time, position, description of gear/vessel, and observed activity. Video or photographs are highly desired.

HSDN Fishing Vessel Characteristics:

HSDN fishing vessels typically range from 120 to 200 feet in length and are usually in fair to poor condition. Distinguishing characteristics include:

Net tube: A large, usually white tube, which extends from the working deck to the net bin located aft. This tube is about two feet in diameter, runs along the port or starboard side of the superstructure, and is clearly visible from both the surface and air.

Net bin: A structure normally located on an aft deck in which the nets are stored.

Net spreader: A triangular or roller net spreading device, which prevents the net from becoming entangled as it enters the water. While only visible from the stern, this is one characteristic, which clearly distinguishes a HSDN fishing vessel from a longline or other fishing vessel.

Transponders: The radio transponders are approximately 4-6 ft tall, are used to mark the end of a net and are normally stored in racks on the weather decks.

When the net is in the water, it is normally suspended using cylindrical floats spaced every few feet, similar to swimming pool lane markers, with the ends of the nets marked with radio transponders. Other types of floats may be used, including larger spherical floats about 2-3 ft in diameter. The driftnets may vary from a couple hundred yards to several nautical miles in length.

Chart N/A

LN: 09/04

THIRTEENTH COAST GUARD DISTRICT - Reporting suspicious activity

The Department of Homeland Security (DHS) encourages the maritime public to report information concerning suspicious activity to the National Response Center (NRC) at (800) 424-8802. The U.S. Coast Guard reminds the maritime industry that they may also report information concerning activity to their Local Federal Bureau of Investigation (FBI) Joint Terrorism Task Force (JTTF) Office, <http://www.fbi.gov/contact/fo/fo.htm>, or to other appropriate authorities. Individuals can contact the DHS Watch and Warning Unit at (202) 323-3205, toll free at (888) 585-9078, or by e-mail to nipc.watch@fbi.gov.

Chart N/A

LN: 15/03

COLUMBIA RIVER - APPROACHES TO ASTORIA - Scientific Buoys (Revision to LNM 18/04)

Oregon State University has deployed 13 scientific buoys from bank to bank near Jim Crow Point at river mile 29 on the Columbia River. Each buoy is a system of four 7in by 15in Styrofoam floats with attached contact information. For additional information, contact Oregon State University at (541) 737-2592.

Charts 18521, 18523

LNM: 26/04

COLUMBIA RIVER - ASTORIA - Construction Projects (Revision of LNM 45/02)

Marine construction activities are scheduled near Astoria on the Oregon side of the Columbia River at the Port of Astoria's Pier III near river mile 11. This is a long-term project that is expected to last until 2005. Mariners should use caution near the 1100-foot pier as piles may not be visible at high tide. For questions concerning the long-term Pier III project contact the Port of Astoria at (503) 325-4521.

Chart 18521

LNM: 35/03

COLUMBIA RIVER - THE DALLES - Telemetry Barges

USGS Columbia River Research Lab deployed 20 6ft by 8ft pontoon barges, each showing flashing yellow 4 seconds (FI Y 4s) lights, located on the Oregon side, outside the shipping channel between the Dalles Dam and mile 193 on the Columbia River. An additional 28 pontoon barges were deployed in the Boat Restriction Zone (BRZ) above the Dalles Dam, each showing flashing yellow 4 seconds (FI Y 4s) lights. All the barges are to be removed prior to 31 Aug 04. For additional information, contact Columbia River Research Laboratory at (509) 538-2299 Ext 267.

Chart 18533

LNM: 15/04

COLUMBIA AND SNAKE RIVERS - 2004 Summer Seasonal Lockage Schedule for Recreational Craft

The U.S. Army Corps of Engineers, Walla Walla and Portland Districts, have implemented the 2004 summer seasonal lockage schedule effective from 15 May to 15 September 04 for the passage of recreational craft through the following navigation locks:

Walla Walla District Locks			Portland District Locks		
Navigation Lock	Location	Chart	Navigation Lock	Location	Chart
McNary Dam	Columbia River Mile 292	18539	Bonneville Dam	Columbia River Mile 145	18531
Ice Harbor Dam	Snake River Mile 9.7	18545	The Dalles Dam	Columbia River Mile 191	18533
Lower Monumental Dam	Snake River Mile 41.6	18545	John Day Dam	Columbia River Mile 216	18535
Little Goose Dam	Snake River Mile 70.3	18546			
Lower Granite Dam	Snake River Mile 107.3	18548			

When a recreational vessel lockage schedule is in effect, recreational vessels will only be allowed to lock through at the times designated for such lockages and they will take precedence over commercial vessels. Commercial vessels will continue to be locked through upon arrival except during the times specified for recreational vessel lockages. At the discretion of the lock operator, recreational vessels may be allowed to lock through with commercial craft. All vessel owner/operators lock through at their own risk. Follow the directions of the lock operator when using the locks or operating in the vicinity of the locks. The lock operator has the final authority on the suitability of a craft for lockage. Refer to the U.S. Army Corps of Engineers Safe Lockage Policy for Recreational Craft on the Columbia and Snake Rivers for additional safety requirements. For additional information on this matter or copies of the Safe Lockage policy, visit the following website: <http://www.nwp.usace.army.mil/op/s/nl> or contact the Walla Walla District at (509) 527-7115/(509) 527-7113 or the Portland District at (503) 808-4332/(503) 808-4333.

The three Portland District Locks and the five Walla Walla District Locks will use the same lockage schedule making the lockage times for the entire Columbia/Snake River system identical for recreational vessels. The following seasonal recreational craft lockage schedule will be implemented beginning 15 May 2004:

Traffic Direction	Times				
Upstream Lockages	9:00 a.m.	12:01 p.m.	3:00 p.m.	6:00 p.m.	9:00 p.m.
Downstream Lockages	9:30 a.m.	12:30 p.m.	3:30 p.m.	6:30 p.m.	9:30 p.m.

Consideration will be given for special lockages to flotillas or other unique events sponsored by yacht clubs, marinas, and other groups, provided advance (24 hours) arrangements have been made with the appropriate operations manager or their appointed representative. The following project office and operations managers should be contacted for scheduling of special lockages:

Project	Operations Managers	Phone Number	Alternate Number
Bonneville	Chief Operator on Duty	(541) 374-8323	N/A
The Dalles	Chief Operator on Duty	(541) 298-4007	N/A
John Day	Chief Operator on Duty	(541) 298-9712	N/A
McNary	Randell Ryan	(541) 922-2251	(541) 922-3214
Ice Harbor	Scott Sutliff	(509) 543-3251	(509) 547-7783
Lower Monumental	Matt Allen	(509) 282-7353	(509) 282-3218
Little Goose Project	Scott Ross	(509) 399-2233 x253	(509) 399-2233 x231
Lower Granite Project	Martin Mendiola	(509) 843-1493 x258	(509) 843-1493 x231

Chart N/A

LNM: 19/04

OREGON / WASHINGTON - COASTAL REGION - Tsunami Reporting System

As part of the Pacific Tsunami Reporting System the following surface buoys have been deployed by NOAA. Each buoy is a 2.5-meter disk, red and white in color, with the word "TSUNAMI" on it. Each buoy has a "FL Y 4s" light.

Buoy 46404	45-51-32N, 128-46-40W
Buoy 46405	42-54-10N, 130-54-32W
Buoy D - 127	45-31-26N, 127-35-38W

Chart 501

LNM: 29/03

OREGON / WASHINGTON - COASTAL REGION - NOAA

NOAA buoys 46404 and 46405 have been temporarily discontinued.
Chart 501

LNM: 14/04

WASHINGTON - OFFSHORE - Research Buoys

The Olympic Coast National Marine Sanctuary will be deploying research buoys in the waters of the sanctuary from 17 May to 08 Oct 04. These buoys will be anchored in depths between 15 and 42 meters. Each buoy will consist of unlit, 16ft halibut longline, and aluminum poles with floats and red flags, each topped with a radar reflector. The locations of the buoys are:

Buoy	Latitude	Longitude	Planned depth
MB-1	48-19-30.0N	124-40-54.0W	15m
MB-2	48-19-18.0N	124-44-18.0W	42m
CA-1	48-09-54.0N	124-45-24.0W	15m
CA-2	48-09-54.0N	124-48-12.0W	42m
TH-1	47-52-30.0N	124-37-06.0W	15m
TH-2	47-50-42.0N	124-37-42.0W	31m
KL-1	47-35-54.0N	124-25-36.0W	15m
KL-2	47-35-36.0N	124-29-36.0W	27m
CE-1	47-21-19.0N	124-28-06.0W	42m

For additional information, contact Olympic Coast National Marine Sanctuary at (360) 457-6622.
Chart 18480

LNM: 19/04

WASHINGTON - ROSSARIO STRAIT - Research Buoys

NOAA has established three temporary yellow lighted research buoys showing the characteristic Flashing Yellow 6 seconds (Fl Y 6s) for a period of 8 to 10 weeks on approximately 20 Jul 04.

Buoy 1	48-28-32.7N 122-42-40.2W
Buoy 2	48-28-35.9N 122-52-53.2W
Buoy 3	48-28-30.6N 122-42-51.9W

Chart 18421

LNM: 18/04

WASHINGTON - ELLIOTT BAY - Terminal 46 Construction (Revision to LNM 50/03)

The American Construction Company has commenced construction that includes pile driving at terminal 46 for the Port of Seattle. Pile driving work will be from 0700 to 1700 local Monday through Saturday 12 Dec 03 to the end of Aug 04. The crane DB Palouse will be moored on anchors, and crown buoys will be used to mark the anchor locations. DB Palouse will monitor VHF-FM Channel 16. All vessels are requested to minimize wake in the vicinity of construction. For additional information contact the American Construction Co at (206) 264-0701.

Chart 18449

LNM: 26/04

WASHINGTON - STRAIT OF JUAN DE FUCA - PUGET SOUND - Security Zone of Passenger Vessels (Revision to LNM 06/03)

The Coast Guard is establishing a temporary moving security zone of 500 yards surrounding passenger vessels while within the waters of Puget Sound and adjacent waters. A passenger vessel is defined as any vessel over 100 feet in length (33 meters) carrying passengers for hire such as auto ferries, cruise ships, passenger ferries, and excursion vessels. All vessels within 500 yards of a passenger vessel shall operate at the minimum speed necessary to maintain a safe course and shall proceed as directed by the Official Patrol or passenger vessel master. The Official Patrol will consist of a Coast Guard patrol, Federal Law Enforcement officer or a General Authority Washington Peace Officer, Limited Authority Washington Peace Officer, Specially Commissioned Washington Peace Officer, or the passenger vessel master. This order is issued under the authority of the Ports and Waterways Safety Act, Title 33, U. S. Code 1221 et. Seq., and the regulations issued thereunder, Title 33, Code of Federal Regulations Part 165.

Physical Boundaries: The following area is a security zone: All waters of Puget Sound, Washington State east of 123-30-00W [Datum: NAD 1983] within a 500 yard radius centered on passenger vessels while they are underway, anchored or moored.

Special Rules: All vessels within 500 yards of a passenger vessel shall operate at the minimum speed necessary to maintain a safe course, and shall proceed as directed by the Official Patrol or the passenger vessel master. No vessels will be allowed to transit this area without the permission of the Coast Guard, the Official Patrol or the passenger vessel master. Penalties for violating the zone: The Ports and Waterways Safety Act prescribes that whoever violates an order issued under the act is liable to a civil penalty of not more than \$27,500 for each violation. Each day of continuing violation shall constitute a separate violation. If such a violation is willful, you are subject to a criminal penalty of not more than \$250,000 and/or six years imprisonment. This criminal penalty is classified as a class "D" felony under federal law. Contact the Coast Guard Marine Safety Office, Puget Sound at (206) 217-6215 or VHF-FM Channel 16 for more information.

Chart N/A

LNM: 32/03

WASHINGTON - PUGET SOUND - SEATTLE TO BREMERTON - Ongoing Construction of Pier 36

During ongoing construction at Pier 36 that is expected to be completed September 2005, barges will be moored on the western face of Pier 36 sporadically. Barges will be marked with white flashing lights on the west corners and extend off the face no more than 110 ft. Mariners are requested to exercise caution in the vicinity of Pier 36.

Chart 18449

LNM: 33/03

WASHINGTON - HOOD CANAL - Submerged Buoys

Naval Undersea Warfare Center Division, Keyport installed two submerged buoys 20ft from the bottom at approximate position 47-40-49N 122-49-07W and 47-40-09N 122-49-07W. The buoys will remain moored until 31 Jul 04. Mariners are requested to use caution in the vicinity to prevent fouling of fishing gear. For additional information, contact Naval Undersea Warfare Center at (360) 396-1359.

Chart 18458

LNM: 22/04

WASHINGTON - LAKE WASHINGTON - Lock Closure

The Hiram M. Chittenden Large Lock will be closed to all traffic, with the small lock remaining open to all vessels within size restrictions from 0001 20 Nov to 1600 local 03 Dec 04 for annual maintenance. For additional information, contact the Army Corps of Engineers at (206) 783-7000.
Chart 18447 LNM: 22/04

WASHINGTON - COMMENCEMENT BAY - Tacoma - Construction Operations

An inter-tidal basin has been excavated in approximate position 47-18-23N 122-30-32W. This is part of a construction activity completed at the Asarco Tacoma Smelter Facility of the Commencement Bay Nearshore/ Tidelands Superfund Site Operable Unit 02 (commonly known as the "slag pile"). The dimensions of the basin are approximately 600 ft long (parallel to the shoreline) by 200 ft wide (perpendicular to the shoreline). A rock breakwater with a crest elevation of +10 ft MLLW is located at the seaward edge of the basin. Mariners are urged to use caution when transiting this area as the breakwater is not visible at all tidal conditions.

Chart 18448 LNM: 39/00

WASHINGTON - STRAIT OF JUAN DE FUCA ENTRANCE - Exposed Submarine Cable (Revision of LNM 42/01)

25 segments of exposed or partially exposed cable have been identified in the Olympic Coast National Marine Sanctuary (OCNMS). The exposed cable locations are in the vicinity of Cape Flattery to 25 NM offshore. The exposed cables pose the greatest hazard to trawling and fishing vessels. Vessels that suspect their gear is snagged on the exposed cable should call Global Crossing at (800) 409-4471. The positions and lengths of exposed cable (see LNM 45/01 for detailed information available online at <http://www.navcen.uscg.gov/lnm/d13>) are only those identified within the OCNMS. It is likely that there are additional locations of exposed cable outside of the OCNMS. The general area of exposed cable is located within the following coordinates:

Lat/Long	Lat/Long
48-26-45.0N 125-21-18.0W	48-26-45.0N 124-38-15.0W
48-21-18.0N 125-21-18.0W	48-21-18.0N 124-38-15.0W

Chart 18480 LNM: 43/01

WASHINGTON - PUGET SOUND - COMMENCEMENT BAY - Piling Removal Project

A piling removal project has commenced at the NW end of the spit separation of the St. Paul and Middle Waterways in approximate position 47-16-10N 122-26-00W. The removal of these pilings may make it difficult to identify the rock pile spit that extends into the bay. Mariners are advised to exercise caution when transiting this area.

Chart 18448 LNM: 52/02

WASHINGTON - PUGET SOUND - DUWAMISH WATERWAY - Submerged Barge (Revision of LNM 05/03)

Six barges rather than the one barge previously reported in December 2002, have sunk in the Duwamish Waterway approximately 150 yards south of the 1st Avenue Bridge and are protruding into the west side of the channel. The owner of the partially submerged barge has marked the corner in the channel with a red float and a quick flashing red light. Attempts to salvage the barge have been unsuccessful. An announcement will appear in this publication as changes occur. Contact the Army Corps of Engineers at (206) 764-3429 for more information.

Chart 18450 LNM: 16/03

WASHINGTON - PUGET SOUND - Marine Events

EVENT DATE	EVENT NAME	EVENT LOCATION	SPONSOR
06/29/2004	SUMMER EVENING TUES EVE	LAKE WASHINGTON	CORINTHIAN YACHT CLUB
06/30/2004	WIND SEEKERS SUMMER EVE B	COMMENCEMENT SOUND	WIND SEEKERS YACHT CLUB
06/30/2004	SUMMER EVENING- PHRF	MEADOW PT	CORINTHIAN YACHT CLUB
06/30/2004	OTTERTADT IV	FIDALGO BAY	ANACORTES YACHT CLUB
06/30/2004	SUMMER SERIES 3	BELLINGHAM BAY	BELLINGHAM BAY
06/30/2004	SUMMER EVENING WED EVE	LAKE WASHINGTON	CORINTHIAN YACHT CLUB
07/01/2004	DOWNTOWN SAILING SERIES	ELLIOTT BAY	ELLIOTT BAY MARINA
07/01/2004	SUMMER EVENING-ONE DESIGN	MEADOW PT	CORINTHIAN YACHT CLUB
07/02/2004	ANTHONY'S SYC KIRKLAND FRI	LAKE WASHINGTON	SEATTLE YACHT CLUB
07/02/2004	NATHAN ATKINS JULY 2004	DYES INLET*****EVENT CANCELED*****	ENTERTAINMENT FIREWORKS, INC.
07/03/2004	ED CLARK MEMORIAL REGATTA	LAKE UNION	CENTER FOR WOODEN BOATS
07/03/2004	LANGLIES OLD FASHIONED INDEP	PORT MADISON	ARTHUR LANGLEIE
07/03/2004	CLEARWATER CASINO JULY 2004	DES MOINES	ENTERTAINMENT FIREWORKS
07/03/2004	TACOMA DRAGON BOAT FEST	COMMENCEMENT BAY	TACOMA DRAGON BOAT ASSOC
07/03/2004	CATALINA DAY	MEADOW PT	CORINTHIAN YACHT CLUB
07/03/2004	FRIDAY NIGHT LOG DODGE	POSSESSION SOUND	MILLTOWN SAILING ASSOCIATION
07/03/2004	POULSBO 3RD OF JULY	LIBERTY BAY	COMMUNITY EVENT PRODUCTIONS
07/04/2004	TACOMA FREEDOM FAIR	COMMENCEMENT BAY	TACOMA EVENTS COMMISSION
07/04/2004	EVERETT 4TH OF JULY	POSSESSION SOUND	CITY OF EVERETT
07/04/2004	TACOMA FREEDOM FAIR	COMMENCEMENT BAY	CHILD'S FIREWORKS DISPLAY CO
07/04/2004	CELEBRATE KIRKLAND	LAKE WASHINGTON	ENTERTAINMENT FIREWORKS
07/04/2004	THREE TREE FIREWORKS	THREE TREE POINT	THREE TREE PT COMM FIREWORKS

EVENT DATE	EVENT NAME	EVENT LOCATION	SPONSOR
07/04/2004	DES MOINES 4TH OF JULY	DES MOINES MARINA	DES MOINES 4TH OF JULY
07/04/2004	KINGSTON FIREWORKS DISPLAY	APPLETREE COVE	KINGSTON FIREWORKS DISPLAY
07/04/2004	YARROW POINT 4TH OF JULY	LAKE WASHINGTON	YARROW POINT COMMUNITY 4TH
07/04/2004	HAGGENS BLAST OVER BELLINGHAM BAY	BELLINGHAM BAY	WHATCOM/BELLING C OF C
07/04/2004	CITY OF RENTON 4TH OF JULY	LAKE WASHINGTON	CITY OF RENTON 4TH OF JULY
07/04/2004	IVARS SPECTACULAR	ELLIOTT BAY	IVARS FRIENDS OF FIREWORKS, INC.
07/04/2004	FIREWORKS DISPLAY (PRIVATE)	HENDERSON BAY	RICHARD GILLETTE
07/04/2004	ANACORTES FIREWORKS SHOW	FIDALGO BAY	CITY OF ANACORTES
07/04/2004	GRAPEVIEW COMM CELEBRATION	CASE INLET	GRAPEVIEW COMM CELEBRATION
07/04/2004	PT ORCHARD 4TH OF JULY	PORT ORCHARD BAY	PR ORCHARD CHAMBER OF COMMERCE
07/04/2004	SGA 4TH OF JULY CELEBRATION	QUARTERMASTER HARBOR	ENTERTAINMENT FIREWORKS
07/04/2004	STEILACOOM JULY FOURTH FIRE	STEILACOOM FERRY DOCK	STEILACOOM CITIZENS FW COMM
07/04/2004	WA MUTUAL FAMILY FOURTH	LAKE UNION	ONE REEL
07/06/2004	SUMMER EVENING TUES EVE	LAKE WASHINGTON	CORINTHIAN YACHT CLUB
07/07/04	SUMMER FUN I	FIDALGO BAY	ANACORTES YACHT CLUB
07/07/2004	SUMMER EVENING WED EVE	LAKE WASHINGTON	CORINTHIAN YACHT CLUB
07/07/2004	WIND SEEKERS SUMMER EVE B	COMMENCEMENT SOUND	WIND SEEKERS YACHT CLUB
07/07/2004	SUMMER EVENING- PHRF	MEADOW PT	CORINTHIAN YACHT CLUB
07/07/2004	SUMMER SERIES 4	BELLINGHAM BAY	BELLINGHAM BAY
07/08/2004	SUMMER EVENING-ONE DESIGN	MEADOW PT	CORINTHIAN YACHT CLUB
07/08/2004	DOWNTOWN SAILING SERIES	ELLIOTT BAY	ELLIOTT BAY MARINA
07/09/2004	RACE FOR DINNER	SHILSHOLE BAY	CHARLIE'S AT SHILSHOLE
07/09/2004	RACE FOR DINNER	SHILSHOLE BAY	CHARLIE'S AT SHILSHOLE
07/09/2004	MERCER ISLAND SUMMER CELEBRATION	LAKE WASHINGTON	MERCER ISLAND SUMMER CELEBRATION
07/09/2004	ANTHONY'S SYC KIRKLAND FRI	LAKE WASHINGTON	SEATTLE YACHT CLUB
07/10/2004	JACK & JILL	PUGET SOUND	CORINTHIAN YACHT CLUB
07/10/2004	FRIDAY NIGHT LOG DODGE	POSSESSION SOUND	MILLTOWN SAILING ASSOCIATION
07/10/2004	SATURDAY OPEN 1	BELLINGHAM BAY	BELLINGHAM BAY
07/12/2004	BALLARD CUP SERIES 2	SHILSHOLE BAY	SHILSHOLE BAY YACHT CLUB
07/12/2004	SLOOP TAVERN BALLARD CUP	SHILSHOLE MARINA	SLOOP TAVERN YACHT CLUB
07/13/2004	SUMMER EVENING TUES EVE	LAKE WASHINGTON	CORINTHIAN YACHT CLUB
07/14/04	SUMMER FUN III	FIDALGO BAY	ANACORTES YACHT CLUB
07/14/04	SUMMER FUN II	FIDALGO BAY	ANACORTES YACHT CLUB
07/14/2004	WIND SEEKERS SUMMER EVE B	COMMENCEMENT SOUND	WIND SEEKERS YACHT CLUB
07/14/2004	SUMMER EVENING- PHRF	MEADOW PT	CORINTHIAN YACHT CLUB
07/14/2004	SUMMER EVENING WED EVE	LAKE WASHINGTON	CORINTHIAN YACHT CLUB
07/14/2004	HEAT WAY SERIES 1	BELLINGHAM BAY	BELLINGHAM BAY
07/15/2004	SUMMER EVENING-ONE DESIGN	MEADOW PT	CORINTHIAN YACHT CLUB
07/15/2004	DOWNTOWN SAILING SERIES	ELLIOTT BAY	ELLIOTT BAY MARINA
07/16/2004	RACE FOR DINNER	SHILSHOLE BAY	CHARLIE'S AT SHILSHOLE
07/16/2004	ANTHONY'S SYC KIRKLAND FRI	LAKE WASHINGTON	SEATTLE YACHT CLUB
07/17/2004	FRIDAY NIGHT LOG DODGE	POSSESSION SOUND	MILLTOWN SAILING ASSOCIATION
07/19-23/2004	WHIDBEY ISLAND RACE WEEK	SARATOGA PASSAGE	NORTHWEST MARINE PROD INC.
07/20/2004	SUMMER EVENING TUES EVE	LAKE WASHINGTON	CORINTHIAN YACHT CLUB
07/21/2004	SUMMER EVENING WED EVE	LAKE WASHINGTON	CORINTHIAN YACHT CLUB
07/21/2004	MOORE INTERNATIONAL	BELLINGHAM BAY	BELLINGHAM BAY
07/21/2004	WIND SEEKERS SUMMER EVE B	COMMENCEMENT SOUND	WIND SEEKERS YACHT CLUB
07/21/2004	DES MOINES WATERLAND FESTIVAL	DES MOINES MARINA	DES MOINES WATERLAND FESTIVAL
07/22/2004	DOWNTOWN SAILING SERIES	ELLIOTT BAY	ELLIOTT BAY MARINA
07/23/2004	ANTHONY'S SYC KIRKLAND FRI	LAKE WASHINGTON	SEATTLE YACHT CLUB
07/23/2004	WHALING DAYS	SILVERDALE BAY	WHALING DAYS
07/24/2004	CLASS OF 59 FIREWORKS	MEYDENBAUER BAY	CLASS OF 59
07/24/2004	FRIDAY NIGHT LOG DODGE	POSSESSION SOUND	MILLTOWN SAILING ASSOCIATION

EVENT DATE	EVENT NAME	EVENT LOCATION	SPONSOR
07/24/2004	DES MOINES WATERLAND DRAGON BOAT RACE	DES MOINES MARINA	KENT DRAGON BOAT ASSOCIATION
07/26/2004	SINGLE/DOUBLE HANDED	POSSESSION SOUND	MILLTOWN SAILING ASSOCIATION
07/26/2004	SLOOP TAVERN BALLARD CUP	SHILSHOLE MARINA	SLOOP TAVERN YACHT CLUB
07/26/2004	BALLARD CUP SERIES 3	SHILSHOLE BAY	SHILSHOLE BAY YACHT CLUB
07/27/2004	SUMMER EVENING TUES EVE	LAKE WASHINGTON	CORINTHIAN YACHT CLUB
07/28/2004	HEAT WAY SERIES 2	BELLINGHAM BAY	BELLINGHAM BAY
07/28/2004	SUMMER EVENING- PHRF	MEADOW PT	CORINTHIAN YACHT CLUB
07/28/2004	SUMMER EVENING WED EVE	LAKE WASHINGTON	CORINTHIAN YACHT CLUB
07/28/2004	WIND SEEKERS SUMMER EVE C	COMMENCEMENT SOUND	WIND SEEKERS YACHT CLUB
07/29/2004	DOWNTOWN SAILING SERIES	ELLIOTT BAY	ELLIOTT BAY MARINA
07/29/2004	SUMMER EVENING-ONE DESIGN	MEADOW PT	CORINTHIAN YACHT CLUB
07/30/2004	ANTHONY'S SYC KIRKLAND FRI	LAKE WASHINGTON	SEATTLE YACHT CLUB
07/30/2004	FRIDAY NIGHT LOG DODGE	POSSESSION SOUND	MILLTOWN SAILING ASSOCIATION
07/30/2004	RACE FOR DINNER	SHILSHOLE BAY	CHARLIE'S AT SHILSHOLE
07/31/2004	MOONLIGHT RACE	LAKE WASHINGTON	CORINTHIAN YACHT CLUB

OREGON - PORTLAND - Marine events

EVENT DATE	EVENT NAME	EVENT LOCATION	SPONSOR
07/03/2004	CEDCO INC., FIREWORKS DISPLAY	COOS BAY, BARGE IN FRONT OF MILL CASINO	CEDCO, INC.
07/03/2004	ILWACO JULY 4TH COMMITTEE FIREWORKS	PORT OF ILWACO DOCK, COLUMBIA RIVER	ILWACO JULY 4TH COMMITTEE
07/04/2004	CITY OF COOS BAY FIREWORKS DISPLAY	CITY OF COOS BAY WATERFRONT	CITY OF COOS BAY
07/04/2004	ASTORIA 4TH OF JULY FIREWORKS DISPLAY	COLUMBIA RIVER IN FRONT OF 17 TH STREET PIER, ASTORIA	ASTORIA -WARRENTON CHAMBER OF COMMERCE
07/04/2004	TRI-CITY 4TH OF JULY FIREWORKS DISPLAY (AKA WINDERMERE'S 18 TH ANNUAL RIVER OF FIRE)	BARGE @ COLUMBIA PARK, KENNEWICK, WA	TRI-CITY AREA CHAMBER OF COMMERCE
07/04/2004	OREGON FOOD BANK BLUES FESTIVAL	WILLAMETTE RIVER, HAWTHORNE TO MARQUAM BRIDGES	OREGON FOOD BANK BLUES FESTIVAL
07/04/2004	FORT VANCOUVER 4TH OF JULY CELEBRATION	COLUMBIA RIVER, 1600' E OF INTERSTATE BRIDGE	FT VANCOUVER 4TH OF JULY COMMITTEE, INC.
07/04/2004	ST HELENS 4TH OF JULY COMMITTEE	SAND ISLAND, ST. HELENS, OR	ST HELENS 4TH OF JULY COMMITTEE
07/04/2004	EAST COUNTY 4TH OF JULY FIREWORKS DISPLAY	ON DIKE @ 20601 NE MARINE DRIVE, TROUTDALE, OR, IN COLUMBIA RIVER	EAST COUNTY 4TH OF JULY COMMITTEE
07/04/2004	GLADSTONE CELEBRATION	MELDRUM BAR, WILLAMETTE RIVER M24	CITY OF GLADSTONE, OR
07/04/2004	OAKS PARK JULY 4TH CELEBRATION	OAKS PARK, WILLAMETTE RIVER M16	OAKS PARK
07/04/2004	ARLINGTON CHAMBER OF COMMERCE FIREWORKS	INDUSTRIAL AREA OVER COLUMBIA RIVER, ARLINGTON	ARLINGTON CHAMBER OF COMMERCE
07/04/2004	WESTERN DISPLAY 4TH OF JULY PARTY	½ MI E OF I205 BRIDGE, FROM BEACH	HENRY HILLMAN, 3304 SE BIDDLE RD, VANCOUVER, WA 98684
07/04/2004	FLORENCE CHAMBER 4TH OF JULY	BARGE @ 124 06'16"W 43 57' 52"N SIUSLAW RIVER, FLORENCE, OR	FLORENCE CHAMBER OF COMMERCE
07/04/2004	CITY OF CASCADE LOCKS 4TH OF JULY	THUNDER ISLAND PORT MARINE PARK	CITY OF CASCADE LOCKS
07/04/2004	WAVERLY CLUB FIREWORKS DISPLAY	WILLAMETTE RIVER @ APPX M 17	ENTERTAINMENT FIREWORKS, INC. FOR WAVERLY COUNTRY CLUB
07/10/2004	RAINIER DAYS	COLUMBIA RIVER E OF NICE CREEK @ 122 56'16"W 46 05'44"N	RAINIER DAYS
07/24/2004	MILWAUKIE CENTENNIAL	WILLAMETTE RIVER, APPX M18.5	MILWAUKIE CENTENNIAL

SECTION VIII – LIGHT LIST CORRECTIONSAn Asterisk *, indicates the column in which a correction has been made to new information

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
None							

PUBLICATION CORRECTIONS

Publication-National Ocean Service-U.S. Coast Pilot 7, Pacific Coast: California, Oregon, Washington, Hawaii, and Pacific Islands, 2004 (36th) Edition. Change No. 13.

Coast Pilot 7 36th 2004 Corrections

Page 177-Paragraph 2978, line 1; read:

§165.1190 Security Zone; San Francisco Bay, Oakland Estuary, Alameda, CA.

(a) *Location.* The following area is a security zone: all navigable waters of the Oakland Estuary, California, from the surface to the sea floor, 150 feet into the Oakland Estuary surrounding the Coast Guard Island Pier. The perimeter of the security zone commences at a point on land approximately 150 feet north of the northern end of the Coast Guard Island Pier at latitude 37°46'53.6"N and longitude 122°15'06.1"W; thence out to the edge of the charted channel at latitude 37°46'52.3"N and longitude 122°15'07.9"W.; thence along the edge of the charted channel to latitude 37°46'42.2"N and longitude 122°14'50.5"W; thence to a point on land approximately 150 feet south of the southern end of the Coast Guard Island Pier at latitude 37°46'44.8"N and longitude 122°14'48.8"W; thence along the shoreline back to the beginning point, latitude 37°46'53.6"N and longitude 122°15'06.1"W.

(b) *Regulations.* (1) Under §165.33, entry into or remaining in this zone is prohibited unless authorized by the Coast Guard Captain of the Port, San Francisco Bay, or his designated representative.

(2) Persons desiring to transit the area of the security zone may contact the Captain of the Port at telephone number 415-399-3547 or on VHF-FM channel 16 (156.8 MHz) to seek permission to transit the area. If permission is granted, all persons and vessels must comply with the instructions of the Captain of the Port or his designated representative.

§165.1191 Safety Zone: West Cove, San Clemente Island, California.

(a) *Location.* The following area is a safety zone:

(FR 6/7/04)

Page 315-Paragraph 7, lines 3-4; read: vicinity of San Francisco Bay North Channel Lighted Buoy 1 (37°49'54"N., 122°24'30"W.) and Redwood Creek Entrance Light 2.

(LL/04)

Page 357-Paragraph 528, lines 5-10; read: a racon. The Union Pacific Railroad Bridge has a lift span with a clearance of 70 feet down and 135 feet up over the channel. (See **117.1 through 117.49**, chapter 2 for drawbridge regulations.) The bridgetender monitors VHF-FM channel 13 and works on channel 14; call sign KQ-7193, Union Pacific Railroad Bridge. All mariners intending to transit underneath the Union Pacific Railroad Bridge should be familiar with the communications protocol established specifically for vessel-to-bridge radiotelephone communications at the bridge. The protocol addresses procedures for requesting an opening of the bridge as well as special emergency communication procedures for all vessels transiting underneath the bridge. For a complete explanation of the communications protocol, visit the VTS San Francisco web page at the following URL: <http://www.uscg.mil/d11/vtssf/training/uprrb.htm> or contact the VTS San Francisco Training Director at the following email address: humphrey@d11.uscg.mil. In April 2001, a fixed highway ...

(CL 715/04)

ENCLOSURES

Oregon - Washington - Columbia River - Dredging Operations >See Append 1<
Coquille River - Tabulation - Coquille River >See Append 2<

If you have any questions, comments, or need additional information concerning this or other LNMs or the LNM Mailing List (e.g. additions, deletions, corrections) contact the address or phone number on the front page.

D. R. McCRIMMON, JR.
Commander, U.S. Coast Guard
Chief, Aids to Navigation & Waterways Management Branch
Thirteenth Coast Guard District
By direction of the District Commander

OREGON – WASHINGTON – COLUMBIA RIVER – Dredging Operations

Dredging operations are planned or in progress at the following locations :

Start Date	End Date	Times	Location	Dredge Vessel	Assist Vessel	Channels Monitored	Disposal Area	LNM
16 Jul 04	30 Sep 04	24 hours 7 days	<u>Hylebos Waterway</u>	Patriot		14 and 69 VHF-FM	Blair Waterway Slip 1	26/04
15 Jun 04	31 Jul 04	24 hours 7 days	<u>Columbia River</u> <u>River Mile -2-00-00 to 2+00+00</u>	Sugar Island		13 and 16 VHF-FM	Disposal Site E	25/04
29 Jun 04	09 Jul 04	24 hours 7 days	<u>Mouth of Columbia River</u> <u>River Mile -2-00-00 to</u> <u>02+00+00</u>	Essayons		13 and 16 VHF-FM	46-11-24.8N 124-12-40.3W	265/0 4
29 Jun 04	08 Jul 04	24 hours 7 days	<u>Columbia River</u> <u>River Mile 20+00+00 to</u> <u>21+00+00</u>	Oregon		13 and 16 VHF-FM	Harrington Point Sump	26/04

*US Army Corps of Engineer dredges request mariners transit at their slowest safe speed to minimize wake when in the vicinity of a dredge and proceed after passing arrangements have been made.

CHART 18588								
COQUILLE RIVER CHANNEL								
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF MAY 2004 AND SURVEYS TO APR 2004								
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS			
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)	
A ENTRANCE CHANNEL	14	16	14	4-04	200	0.33	13.0	
ENTRANCE CHANNEL TO PORT DOCK (43°07'15.9"N, 124°24'50.5"W)	15	13	7	4-04	200	0.63	13.0	
THENCE TO END OF PROJECT	11	13	14	4-04	150	0.38	13.0	
A. THE ENTRANCE CHANNEL IS SUBJECT TO FREQUENT CHANGES AND THE DEEPEST WATER IS NOT ALWAYS ON THE RANGE.								
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION								